



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/786,759	02/24/2004	Amir Abolfathi	AT-000220	2843
<div>7590 06/14/2007 GREENBERG TRAURIG LLP 1900 UNIVERSITY AVE, FIFTH FLOOR EAST PALO, CA 94303</div>			<div>EXAMINER BUMGARNER, MELBA N</div>	
			<div>ART UNIT 3732</div>	<div>PAPER NUMBER</div>
			<div>MAIL DATE 06/14/2007</div>	<div>DELIVERY MODE PAPER</div>

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

H

Office Action Summary	Application No.	Applicant(s)	
	10/786,759	ABOLFATHI ET AL.	
	Examiner	Art Unit	
	Melba Bumgarner	3732	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 March 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 34-45 is/are pending in the application.
- 4a) Of the above claim(s) 34-39 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 40-45 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>3/27/07</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Election/Restrictions

1. This application contains claims 34-39 drawn to an invention nonelected with traverse in the reply filed on March 27, 2007. A complete reply to the final rejection must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

Claim Rejections - 35 USC § 112

2. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

3. Claims 40-45 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Recitation of "the appliance" in claim 40, line 11 lacks sufficient antecedent basis.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 40-45 are rejected under 35 U.S.C. 103(a) as being unpatentable over Truax et al. in view of Pavloskaia et al. and further in view of Mah et al. (2004/0009449). Truax et al. disclose a method for expanding a palatal arch of a patient comprising acquiring a digital (computerized optical) scan representing the mouth of the patient (column 5 line 44), fabricating a first portion 58 of a palatal arch expander and fabricating a second portion 60, the first and

second portions each having a plurality of cavities capable of receiving posterior teeth and a palatal portion extending toward a centerline of the palate, the plurality of cavities to receive the posterior teeth, to secure the appliance, and to reposition teeth, coupling an expansion member between the first and second portions, placing the arch expander in the mouth, and adjusting the expansion member to vary the spacing between the first and second portions to expand the palatal arch and reposition teeth; however, they do not show digital imaging. Pavloskaia et al. teach a method for making dental appliances comprising digital visualization of dental scans. It would have been obvious to one having ordinary skill in the art at the time the invention was made to modify the method of Truax et al. to include the step of Pavloskaia et al. in order to enhance the treatment of a patient by simplifying and improving making of an appliance as well as saving money and time as taught by Pavloskaia et al. Truax et al. and Pavloskaia et al. further do not show the expansion member comprising at least one elastic band and at least one holder. Mah et al. teach a palatal expander having expansion member comprising at least one elastic band 58 and at least one holder 54 (figure 1F) as well as the expansion member of Truax et al. (figure 9D). It would have been obvious to one of ordinary skill in the art at the time the invention was made to further modify the method to use the expansion member including the band and holder embodiment of Mah et al. as an alternative to the expansion member of screw of Mah et al. or Truax et al. Pavloskaia et al. show the appliance fabricated using stereolithography (column 12 line 24), and acquiring the scan comprising taking an impression of the patient's teeth, placing the impression in a scanner and generating a 3-D model (column 4 line 36), and compression of data associated with the 3-D model. It is known to one of ordinary skill in the art

that the physical impression of the teeth of a patient is taken by the treating professional to whom the patient goes.

Response to Arguments

6. Applicant's arguments with respect to the rejected claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melba Bumgarner whose telephone number is 571-272-4709. The examiner can normally be reached on Mon-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Cris Rodriguez can be reached at 571-272-4964. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

A handwritten signature in black ink, reading "Melba Bumgarner". The signature is fluid and cursive, with the first name "Melba" and last name "Bumgarner" clearly distinguishable.

Melba Bumgarner
Primary Examiner